Journal of Biomedical Materials Research Part A
Author Index—Volume 64A

Abraham, G. A.
—; Gallardo, A.; San Román, J.; Fernández-Mayoralas, A.; Zurita, M.; Vaquero, J.: Polymeric matrices based on graft copolymers of PCL onto acrylic backbones for releasing antitumoral drugs, 638
Abraham, G. A. See de Queiroz, A. A. A., 147
Adams, A. See Samouillan, V., 330
Agarwal, S. See Ganta, S. R., 242
Akin, F. A. See Zreiqat, H., 105
Anand, V. P.
—; Cogdill, C. P.; Klausner, K. A.; Lister, L.; Barbolt, T.; Page, B. F. J.; Urbanski, P.; Woss, C. J.; Boyce, J.: Reevaluation of ethylene oxide hemolysis and irritation potential, 648
Anderson, J. M. See Brodbeck, W. G., 320
Andersson, A. See King, A., 533
Andersson, A.-S.
—; Glasmästar, K.; Sutherland, D.; Lidberg, U.; Kasemo, B.: Cell adhesion on supported lipid bilayers, 622
Anseth, K. S. See Bryant, S. J., 70
Anseth, K. S. See Poshusta, A. K., 62
Arias, J. L. See Lusquiños, F., 630
Arora, A.
—; Song, Y.; Chun, L.; Huie, P.; Trindade, M.; Smith, R. L.; Goodman, S.: The role of the TH1 and TH2 immune responses in loosening and osteolysis of cemented total hip replacements, 693
Asazuma, T. See Sato, M., 249

Babensee, J. E. See Lester, E. A., 397
Bächi, T. See Vernon, B., 447
Bae, S. K.
—; Kim, J.-D.: Aggregation behaviors and their pH sensitivity of cholesterol-conjugated proteinoids composed of glutamic acid and aspartic acid matrix, 282
Bae, Y. H. See Park, J. H., 309
Balooch, M. See Gallagher, R. R., 372
Bancroft, G. N. See van den Dolder, J., 235
Barber, T. A.
—; Golledge, S. L.; Castner, D. G.; Healy, K. E.: Peptide-modified p(AAm-*co*-EG/AAc) IPNs grafted to bulk titanium modulate osteoblast behavior *in vitro*, *38*
Barbolt, T. See Anand, V. P., 648
Barrère, F.
—; van der Valk, C. M.; Dalmeijer, R. A. J.; van Blitterswijk, C. A.; de Groot, K.; Layrolle, P.: *In vitro* and *in vivo* degradation of biomimetic octacalcium phosphate and carbonate apatite coatings on titanium implants, 378
Barritault, D. See Blanquaert, F., 525
Barros, V. M. R. See Beloti, M. M., 171
Basalyga, D. M.
—; Latour, R. A., Jr.: Theoretical analysis of adsorption thermodynamics for charged peptide residues on SAM surfaces of varying functionality, 120
Beloti, M. M.
—; Hiraki, K. R. N.; Barros, V. M. R.; Rosa, A. L.: Effect of the chemical composition of *Ricinus communis* polyurethane on rat bone marrow cell attachment, proliferation, and differentiation, 171
Bergkvist, M.
—; Carlsson, J.; Oscarsson, S.: Surface-dependent conformations of human plasma fibronectin adsorbed to silica, mica, and hydrophobic surfaces, studied with use of Atomic Force Microscopy, 349
Beruto, D. See Torricelli, P., 182
Best, S. See Lusquiños, F., 630
Bettendorf, O. See Eltze, E., 12
Blanquaert, F.
—; Carpentier, G.; Morvan, F.; Caruelle, J.-P.; Barritault, D.; Tardieu, M.: RGTA modulates the healing pattern of a defect in a monolayer of osteoblastic cells by acting on both proliferation and migration, 525
Böcker, W. See Eltze, E., 12
Bolarín, A. See Coreño, J., 131
Bonassar, L. J. See Peretti, G. M., 517
Bonfield, W. See Lusquiños, F., 630
Bonnema, H.
—; Popa, E. R; van Timmeren, M. M.; van Wachem, P. B.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Distribution patterns of the membrane glycoprotein CD44 during the foreign-body reaction to a degradable biomaterial in rats and mice, 502
Born, R. See Rößler, S., 655
Bosetti, M.
—; Renò, F.; Bracco, P.; Costa, L.; Cannas, M.: Ultra-high molecular weight polyethylene oxidation reduces metalloproteinase 2 secretion in human osteoblast-like cells *in vitro*: A mechanism of modulation of extracellular matrix, 698
Bosetti, M.
—; Zanardi, L.; Hench, L.; Cannas, M.: Type I collagen production by osteoblast-like cells cultured in contact with different bioactive glasses, 189
Botter, R. See Torricelli, P., 182
Boutinguiza, M. See Lusquiños, F., 630
Boyce, J. See Anand, V. P., 648
Bracco, P. See Bosetti, M., 698
Bravo, A. L. See de Queiroz, A. A. A., 147
Brodbeck, W. G.
—; Voskerician, G.; Ziats, N. P.; Nakayama, Y.; Matsuda, T.; Anderson, J. M.: *In vivo* leukocyte

Journal of Biomedical Materials Research Part A
Author Index—Volume 64A

Abraham, G. A.
—; Gallardo, A.; San Román, J.; Fernández-Mayoralas, A.; Zurita, M.; Vaquero, J.: Polymeric matrices based on graft copolymers of PCL onto acrylic backbones for releasing antitumoral drugs, 638
Abraham, G. A. See de Queiroz, A. A. A., 147
Adams, A. See Samouillan, V., 330
Agarwal, S. See Ganta, S. R., 242
Akin, F. A. See Zreiqat, H., 105
Anand, V. P.
—; Cogdill, C. P.; Klausner, K. A.; Lister, L.; Barbolt, T.; Page, B. F. J.; Urbanski, P.; Woss, C. J.; Boyce, J.: Reevaluation of ethylene oxide hemolysis and irritation potential, 648
Anderson, J. M. See Brodbeck, W. G., 320
Andersson, A. See King, A., 533
Andersson, A.-S.
—; Glasmästar, K.; Sutherland, D.; Lidberg, U.; Kasemo, B.: Cell adhesion on supported lipid bilayers, 622
Anseth, K. S. See Bryant, S. J., 70
Anseth, K. S. See Poshusta, A. K., 62
Arias, J. L. See Lusquiños, F., 630
Arora, A.
—; Song, Y.; Chun, L.; Huie, P.; Trindade, M.; Smith, R. L.; Goodman, S.: The role of the TH1 and TH2 immune responses in loosening and osteolysis of cemented total hip replacements, 693
Asazuma, T. See Sato, M., 249

Babensee, J. E. See Lester, E. A., 397
Bächi, T. See Vernon, B., 447
Bae, S. K.
—; Kim, J.-D.: Aggregation behaviors and their pH sensitivity of cholesterol-conjugated proteinoids composed of glutamic acid and aspartic acid matrix, 282
Bae, Y. H. See Park, J. H., 309
Balooch, M. See Gallagher, R. R., 372
Bancroft, G. N. See van den Dolder, J., 235
Barber, T. A.
—; Golledge, S. L.; Castner, D. G.; Healy, K. E.: Peptide-modified p(AAm-*co*-EG/AAc) IPNs grafted to bulk titanium modulate osteoblast behavior *in vitro*, *38*
Barbolt, T. See Anand, V. P., 648
Barrère, F.
—; van der Valk, C. M.; Dalmeijer, R. A. J.; van Blitterswijk, C. A.; de Groot, K.; Layrolle, P.: *In vitro* and *in vivo* degradation of biomimetic octacalcium phosphate and carbonate apatite coatings on titanium implants, 378
Barritault, D. See Blanquaert, F., 525
Barros, V. M. R. See Beloti, M. M., 171
Basalyga, D. M.
—; Latour, R. A., Jr.: Theoretical analysis of adsorption thermodynamics for charged peptide residues on SAM surfaces of varying functionality, 120
Beloti, M. M.
—; Hiraki, K. R. N.; Barros, V. M. R.; Rosa, A. L.: Effect of the chemical composition of *Ricinus communis* polyurethane on rat bone marrow cell attachment, proliferation, and differentiation, 171
Bergkvist, M.
—; Carlsson, J.; Oscarsson, S.: Surface-dependent conformations of human plasma fibronectin adsorbed to silica, mica, and hydrophobic surfaces, studied with use of Atomic Force Microscopy, 349
Beruto, D. See Torricelli, P., 182
Best, S. See Lusquiños, F., 630
Bettendorf, O. See Eltze, E., 12
Blanquaert, F.
—; Carpentier, G.; Morvan, F.; Caruelle, J.-P.; Barritault, D.; Tardieu, M.: RGTA modulates the healing pattern of a defect in a monolayer of osteoblastic cells by acting on both proliferation and migration, 525
Böcker, W. See Eltze, E., 12
Bolarín, A. See Coreño, J., 131
Bonassar, L. J. See Peretti, G. M., 517
Bonfield, W. See Lusquiños, F., 630
Bonnema, H.
—; Popa, E. R; van Timmeren, M. M.; van Wachem, P. B.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Distribution patterns of the membrane glycoprotein CD44 during the foreign-body reaction to a degradable biomaterial in rats and mice, 502
Born, R. See Rößler, S., 655
Bosetti, M.
—; Renò, F.; Bracco, P.; Costa, L.; Cannas, M.: Ultra-high molecular weight polyethylene oxidation reduces metalloproteinase 2 secretion in human osteoblast-like cells *in vitro*: A mechanism of modulation of extracellular matrix, 698
Bosetti, M.
—; Zanardi, L.; Hench, L.; Cannas, M.: Type I collagen production by osteoblast-like cells cultured in contact with different bioactive glasses, 189
Botter, R. See Torricelli, P., 182
Boutinguiza, M. See Lusquiños, F., 630
Boyce, J. See Anand, V. P., 648
Bracco, P. See Bosetti, M., 698
Bravo, A. L. See de Queiroz, A. A. A., 147
Brodbeck, W. G.
—; Voskerician, G.; Ziats, N. P.; Nakayama, Y.; Matsuda, T.; Anderson, J. M.: *In vivo* leukocyte

cytokine mRNA responses to biomaterials are dependent on surface chemistry, 320
Brusotti, C. See Zaffe, D., 365
Bryant, S. J.
—; Anseth, K. S.: Controlling the spatial distribution of ECM components in degradable PEG hydrogels for tissue engineering cartilage, 70
Burdick, J. A. See Poshusta, A. K., 62

Cannas, M. See Bosetti, M., 189
Cannas, M. See Bosetti, M., 698
Cao, Y. See Mao, J., 301
Carlsson, J. See Bergkvist, M., 349
Carpentier, G. See Blanquaert, F., 525
Caruelle, J.-P. See Blanquaert, F., 525
Castner, D. G. See Barber, T. A., 38
Castner, D. G. See Wagner, M. S., 1
Cavani, F. See Zaffe, D., 365
Champagne, C. M. See Takebe, J., 207
Chang, C.-N. See Yang, J. M., 138
Chang, W.-H. See Sung, H.-W., 427
Chapman, J. See Li, C., 197
Chen, L.-T. See Sun, J.-S., 616
Chen, W.-C.
—; Lin, J.-H. C.; Ju, C.-P.: Transmission electron microscopic study on setting mechanism of tetracalcium phosphate/dicalcium phosphate anhydrous-based calcium phosphate cement, 664
Chen, Y.-L. See Ma, H.-L., 273
Chun, L. See Arora, A., 693
Claase, M. B.
—; Grijpma, D. W.; Mendes, S. C.; de Bruijn, J. D.; Feijen, J.: Porous PEOT/PBT scaffolds for bone tissue engineering: Preparation, characterization, and *in vitro* bone marrow cell culturing, 291
Cogdill, C. P. See Anand, V. P., 648
Cooper, L. F. See Takebe, J., 207
Coreño, J.
—; Martínez, A.; Coreño, O.; Bolarín, A.; Sánchez, F.: Calcium and phosphate adsorption as initial steps of apatite nucleation on sol-gel-prepared titania surface, 131
Coreño, O. See Coreño, J., 131
Costa, L. See Bosetti, M., 698

Dalmeijer, R. A. J. See Barrère, F., 378
Dalton, B. A. See Evans, M. D. M., 357
Dandurand, J. See Samouillan, V., 330
Dard, M. See Rößler, S., 655
Dard, M. See Schliephake, H., 225
Davies, J. E. See Karp, J. M., 388
Dawson, R. A. See Haddow, D. B., 80
de Bruijn, J. D. See Claase, M. B., 291
De Carlos, A. See Lusquiños, F., 630
de Groot, K. See Barrère, F., 378
de Leij, L. F. M. H. See Bonnema, H., 502
de Queiroz, A. A. A.
—; Ferraz, H. G.; Abraham, G. A.; del Mar Fernández, M.; Bravo, A. L.; San Román, J.: Development of new hydroactive dressings based on chitosan membranes: Characterization and *in vivo* behavior, 147
de Ruijter, J. E. See Vehof, J. W. M., 417
de Yao, K. See Mao, J., 301
del Mar Fernández, M. See de Queiroz, A. A. A., 147
Demos, S. G. See Gallagher, R. R., 372
Driessens, F. C. M. See Lusquiños, F., 630

Ebenstein, D. See Li, C., 197
El-Amin, S. F. See Lu, H. H., 465
Eltze, E.
—; Bettendorf, O.; Rody, A.; Jackisch, C.; Herchenröder, F.; Böcker, W.; Pfleiderer, B.: Influence of local complications on capsule formation around model implants in a rat AQ1 model, 12
Espevik, T. See Strand, B. L., 540
Evans, M. D. M.
—; Taylor, S.; Dalton, B. A.; Lohmann, D.: Polymer design for corneal epithelial tissue adhesion: Pore density, 357
Ezerietis, E. See Gross, K. A., 672

Feijen, J. See Claase, M. B., 291
Fellers, J. See Peretti, G. M., 517
Fernández, M. See Manso, M., 600
Fernández-Mayoralas, A. See Abraham, G. A., 638
Ferraz, H. G. See de Queiroz, A. A. A., 147
Fini, M. See Torricelli, P., 182
Fujibayashi, S. See Uchida, M., 164
Fujikawa, K. See Sato, M., 249
Fujita, M. See Ishihara, M., 551

Gallagher, R. R.
—; Demos, S. G.; Balooch, M.; Marshall, G. W., Jr.; Marshall, S. J.: Optical spectroscopy and imaging of the dentin–enamel junction in human third molars, 372
Gallardo, A. See Abraham, G. A., 638
Gambillara, V. See Koenig, A. L., 20
Ganta, S. R.
—; Piesco, N. P.; Long, P.; Gassner, R.; Motta, L. F.; Papworth, G. D.; Stolz, D. B.; Watkins, S. C.; Agarwal, S.: Vascularization and tissue infiltration of a biodegradable polyurethane matrix, 242
Gassner, R. See Ganta, S. R., 242
Giardino, R. See Torricelli, P., 182
Giavaresi, G. See Torricelli, P., 182
Gibson, I. See Lusquiños, F., 630
Glasmästar, K. See Andersson, A.-S., 622
Golledge, S. L. See Barber, T. A., 38
Goodman, S. See Arora, A., 693
Grainger, D. W. See Koenig, A. L., 20
Griepentrog, M. See Groessner-Schreiber, B., 591
Grijpma, D. W. See Claase, M. B., 291
Grodzinsky, A. J. See Lee, C. R., 560
Groessner-Schreiber, B.
—; Neubert, A.; Müller, W.-D.; Hopp, M.; Griepentrog, M.; Lange, K.-P.: Fibroblast growth on surface-modified dental implants: An *in vitro* study, 591
Gross, K. A.
—; Ezerietis, E.: Juniper wood as a possible implant material, 672

Haddow, D. B.
—; Steele, D. A.; Short, R. D.; Dawson, R. A.; MacNeil, S.: Plasma-polymerized surfaces for culture of human keratinocytes and transfer of cells to an *in vitro* wound-bed model, 80
Haldimann, D. See Vernon, B., 447
Hanley, L. See Zreiqat, H., 105
Hattori, H. See Ishihara, M., 551
Haynes, D. See Zreiqat, H., 105
Healy, K. E. See Barber, T. A., 38
Hench, L. See Bosetti, M., 189
Herchenröder, F. See Eltze, E., 12
Herrero, P. See Manso, M., 600
Higashiyama, S.
—; Noda, M.; Kawase, M.; Yagi, K.: Mixed-ligand modification of polyamidoamine dendrimers to develop an effective scaffold for maintenance of hepatocyte spheroids, 475
Higgs, R. J. E. D. See Lucksanasombool, P., 93
Higgs, W. A. J. See Lucksanasombool, P., 93
Hing, K. See Lusquiños, F., 630
Hiraki, K. R. N. See Beloti, M. M., 171

Hollinger, J. O. See Hu, Y., 583
Hon, M.-H. See Wang, J.-W., 262
Hopp, M. See Groessner-Schreiber, B., 591
Horbett, T. A. See Wagner, M. S., 1
Horinouchi, H. See Kobayashi, K., 48
Howlett, C. R. See Zreiqat, H., 105
Hsu, Y. G. See Yang, J. M., 138
Hu, Y.
—; Winn, S. R.; Krajbich, I.; Hollinger, J. O.: Porous polymer scaffolds surface-modified with arginine-glycine-aspartic acid enhance bone cell attachment and differentiation *in vitro*, 583
Huang, Y.-C. See Sun, J.-S., 616
Hubbell, J. A. See Vernon, B., 447
Huie, P. See Arora, A., 693
Hung, S.-C. See Ma, H.-L., 273
Hüttmann, C. See Schliephake, H., 225

Ichimura, S. See Sato, M., 249
Ignat, M. See Lucksanasombool, P., 93
Ikeuchi, K. See Shibata, N., 570
Ishibashi, K. See Takebe, J., 207
Ishihara, K. See Sawada, S., 411
Ishihara, M.
—; Obara, K.; Ishizuka, T.; Fujita, M.; Sato, M.; Masuoka, K.; Saito, Y.; Yura, H.; Matsui, T.; Hattori, H.; Kikuchi, M.; Kurita, A.: Controlled release of fibroblast growth factors and heparin from photocrosslinked chitosan hydrogels and subsequent effect on *in vivo* vascularization, 551
Ishihara, M. See Sato, M., 249
Ishizuka, T. See Ishihara, M., 551
Ito, A. See Oyane, A., 339
Iwamaru, A. See Kobayashi, K., 48
Iwasaki, Y. See Sawada, S., 411

Jackisch, C. See Eltze, E., 12
Jansen, J. A. See van den Dolder, J., 235
Jansen, J. A. See Vehof, J. W. M., 417
Jiang, J. M. See Yang, J. M., 138
Ju, C.-P. See Chen, W.-C., 664

Karp, J. M.
—; Shoichet, M. S.; Davies, J. E.: Bone formation on two-dimensional poly(DL-lactide-*co*-glycolide) (PLGA) films and three-dimensional PLGA tissue engineering scaffolds *in vitro*, 388
Kasemo, B. See Andersson, A.-S., 622
Kawasaki, T. See Yokoyama, A., 491
Kawase, M. See Higashiyama, S., 475
Kikuchi, M. See Ishihara, M., 551
Kikuchi, M. See Sato, M., 249
Kikuchi, T. See Sato, M., 249
Kim, H.-M. See Oyane, A., 339
Kim, H.-M. See Uchida, M., 164
Kim, J.-D. See Bae, S. K., 282
King, A.
—; Strand, B.; Rokstad, A.-M.; Kulseng, B.; Andersson, A.; Skjåk-Bræk, G.; Sandler, S.: Improvement of the biocompatibility of alginate/poly-L-lysine/alginate microcapsules by the use of epimerized alginate as a coating, 533
Kiyotani, T. See Lee, Y. H., 88
Klausner, K. A. See Anand, V. P., 648
Kobayashi, K.
—; Komatsu, T.; Iwamaru, A.; Matsukawa, Y.; Horinouchi, H.; Watanabe, M.; Tsuchida, E.: Oxygenation of hypoxic region in solid tumor by administration of human serum albumin incorporating synthetic hemes, 48
Kobayashi, K. See Tsuchida, E., 257
Koenig, A. L.
—; Gambillara, V.; Grainger, D. W.: Correlating fibronectin adsorption with endothelial cell adhesion and signaling on polymer substrates, 20
Kohgo, T. See Yokoyama, A., 491
Kokubo, T. See Oyane, A., 339
Kokubo, T. See Uchida, M., 164
Komatsu, T. See Kobayashi, K., 48
Komatsu, T. See Tsuchida, E., 257
Krajbich, I. See Hu, Y., 583
Kulseng, B. See King, A., 533
Kurita, A. See Ishihara, M., 551
Kurita, A. See Sato, M., 249

Lacabanne, C. See Samouillan, V., 330
Lange, K.-P. See Groessner-Schreiber, B., 591
Langlet, M. See Manso, M., 600
Lateef, S. See Zreiqat, H., 105
Latour, R. A., Jr. See Basalyga, D. M., 120
Laurencin, C. T. See Lu, H. H., 465
Layrolle, P. See Barrère, F., 378
Lee, C. H. See Singla, A., 706
Lee, C. R.
—; Grodzinsky, A. J.; Spector, M.: Biosynthetic response of passaged chondrocytes in a type II collagen scaffold to mechanical compression, 560
Lee, M.-H. See Sung, H.-W., 427
Lee, Y. H.
—; Nakamura, T.; Shimizu, Y.; Yamamoto, Y.; Kiyotani, T.; Tsuda, T.; Teramachi, M.; Takimoto, Y.: Regeneration of serous membrane on gelatin-processed polyglycolic acid (PGA)–human collagen membrane and its efficacy on the prevention of adhesion, 88
León, B. See Lusquiños, F., 630
Lester, E. A.
—; Babensee, J. E.; Proinflammatory phenotype of endothelial cells after coculture with biomaterial-treated blood cells, 397
Lewis, J. B.
—; Randol, T. M.; Lockwood, P. E.; Wataha, J. C.: Effect of subtoxic concentrations of metal ions on NFκB activation in THP-1 human monocytes, 217
Li, C.
—; Ebenstein, D.; Xu, C.; Chapman, J.; Saloner, D.; Rapp, J.; Pruitt, L.: Biochemical characterization of atherosclerotic plaque constituents using FTIR spectroscopy and histology, 197
Lidberg, U. See Andersson, A.-S., 622
Lin, F.-H. See Sun, J.-S., 616
Lin, F. H. See Yang, J. M., 138
Lin, J.-H. C. See Chen, W.-C., 664
Lin, S.-Y. See Ma, H.-L., 273
Lister, L. See Anand, V. P., 648
Liu, H.-C. See Wang, J.-H., 606
Lo, W.-H. See Ma, H.-L., 273
Lockwood, P. E. See Lewis, J. B., 217
Lohmann, D. See Evans, M. D. M., 357
Long, P. See Ganta, S. R., 242
Lu, H. H.
—; El-Amin, S. F.; Scott, K. D.; Laurencin, C. T.: Three-dimensional, bioactive, biodegradable, polymer–bioactive glass composite scaffolds with improved mechanical properties support collagen synthesis and mineralization of human osteoblast-like cells *in vitro*, 465
Lucksanasombool, P.
—; Higgs, W. A. J.; Ignat, M.; Higgs, R. J. E. D.; Swain, M. V.: Comparison of failure characteristics of a range of cancellous bone–bone cement composites, 93
Lusquiños, F.
—; De Carlos, A.; Pou, J.; Arias, J. L.; Boutinguiza, M.; León, B.; Pérez-Amor, M.; Driessens,

F. C. M.; Hing, K.; Gibson, I.; Best, S.; Bonfield, W.: Calcium phosphate coatings obtained by Nd:YAG laser cladding: Physicochemical and biologic properties, 630

Ma, C.-Y. See Sung, H.-W., 427
Ma, H.-L.
—; Hung, S.-C.; Lin, S.-Y.; Chen, Y.-L.; Lo, W.-H.: Chondrogenesis of human mesenchymal stem cells encapsulated in alginate beads, 273
MacNeil, S. See Haddow, D. B., 80
Manias, E. See Xu, R., 114
Manso, M.
—; Herrero, P.; Fernández, M.; Langlet, M.; Martínez-Duart, J. M.: Textured hydroxyapatite interface onto biomedical titanium-based coatings, 600
Mao, J.
—; Zhao, L.; de Yao, K.; Shang, Q.; Yang, G.; Cao, Y.: Study of novel chitosan-gelatin artificial skin *in vitro*, 301
Markovic, B. See Zreiqat, H., 105
Marshall, G. W., Jr. See Gallagher, R. R., 372
Marshall, S. J. See Gallagher, R. R., 372
Martínez, A. See Coreño, J., 131
Martínez-Duart, J. M. See Manso, M., 600
Masuoka, K. See Ishihara, M., 551
Masuoka, K. See Sato, M., 249
Mathur, A. B.
—; Truskey, G. A.; Reichert, W. M.: Synergistic effect of high-affinity binding and flow preconditioning on endothelial cell adhesion, 155
Matsuda, T. See Brodbeck, W. G., 320
Matsuda, T. See Nakayama, Y., 52
Matsui, T. See Ishihara, M., 551
Matsukawa, Y. See Kobayashi, K., 48
Matsukawa, Y. See Tsuchida, E., 257
Matsuno, H. See Yokoyama, A., 491
Mayton, L. See Sieving, A., 457
McLeod, K. See Pernodet, N., 684
Mendes, S. C. See Claase, M. B., 291
Mikos, A. G. See van den Dolder, J., 235
Mizuno, K.
—; Yamamura, K.; Yano, K.; Osada, T.; Saeki, S.; Takimoto, N.; Sakurai, T.; Nimura, Y.: Effect of chitosan film containing basic fibroblast growth factor on wound healing in genetically diabetic mice, 177
Moore, M. See Samouillan, V., 330
Moradian-Oldak, J. See Wen, H. B., 483
Mørch, Y. A. See Strand, B. L., 540
Mortisen, D. J. See Poshusta, A. K., 62
Morvan, F. See Blanquaert, F., 525
Motta, L. F. See Ganta, S. R., 242
Müller, W.-D. See Groessner-Schreiber, B., 591

Nakabayashi, N. See Sawada, S., 411
Nakagawa, A. See Tsuchida, E., 257
Nakamura, A. See Nakaoka, R., 439
Nakamura, T. See Lee, Y. H., 88
Nakamura, T. See Oyane, A., 339
Nakamura, T. See Uchida, M., 164
Nakaoka, R.
—; Tsuchiya, T.; Nakamura, A.: Neural differentiation of midbrain cells on various protein-immobilized polyethylene films, 439
Nakasu, M. See Yokoyama, A., 491
Nakayama, Y.
—; Nishi, S.; Ueda-Ishibashi, H.; Matsuda, T.: Fabrication of micropored elastomeric film-covered stents and acute-phase performances, 52
Nakayama, Y. See Brodbeck, W. G., 320
Nasser, S. See Sieving, A., 457
Neubert, A. See Groessner-Schreiber, B., 591
Nimura, Y. See Mizuno, K., 177
Nishi, S. See Nakayama, Y., 52
Noda, M. See Higashiyama, S., 475

Obara, K. See Ishihara, M., 551
Offenbacher, S. See Takebe, J., 207
Ong, J. L. See Yang, Y., 509
Onuma, K. See Oyane, A., 339
Osada, T. See Mizuno, K., 177
Oscarsson, S. See Bergkvist, M., 349
Oyane, A.
—; Onuma, K.; Ito, A.; Kim, H.-M.; Kokubo, T.; Nakamura, T.: Formation and growth of clusters in conventional and new kinds of simulated body fluids, 339

Padera, R. F. See Poshusta, A. K., 62
Page, B. F. J. See Anand, V. P., 648
Papworth, G. D. See Ganta, S. R., 242
Park, J. H.
—; Bae, Y. H.: Hydrogels based on poly(ethylene oxide) and poly(tetramethylene oxide) or poly(dimethyl siloxane). III. *In vivo* biocompatibility and biostability, 309
Peretti, G. M.
—; Zaporojan, V.; Spangenberg, K. M.; Randolph, M. A.; Fellers, J.; Bonassar, L. J.: Cell-based bonding of articular cartilage: An extended study, 517
Pérez-Amor, M. See Lusquiños, F., 630
Pernodet, N.
—; Rafailovich, M.; Sokolov, J.; Xu, D.; Yang, N.-L.; McLeod, K.: Fibronectin fibrillogenesis on sulfonated polystyrene surfaces, 684
Pfleiderer, B. See Eltze, E., 12
Piesco, N. P. See Ganta, S. R., 242
Pietrabissa, R. See Zaffe, D., 365
Popa, E. R See Bonnema, H., 502
Poshusta, A. K.
—; Burdick, J. A.; Mortisen, D. J.; Padera, R. F.; Ruehlman, D.; Yaszemski, M. J.; Anseth, K. S.: Histocompatibility of photocrosslinked polyanhydrides: A novel *in situ* forming orthopaedic biomaterial, 62
Pou, J. See Lusquiños, F., 630
Pruitt, L. See Li, C., 197

Quaglini, V. See Zaffe, D., 365

Rafailovich, M. See Pernodet, N., 684
Randol, T. M. See Lewis, J. B., 217
Randolph, M. A. See Peretti, G. M., 517
Rapp, J. See Li, C., 197
Reichert, W. M. See Mathur, A. B., 155
Renò, F. See Bosetti, M., 698
Rizzo, S. See Zaffe, D., 365
Rodriguez y Baena, R. See Zaffe, D., 365
Rody, A. See Eltze, E., 12
Rokstad, A.-M. See King, A., 533
Rosa, A. L. See Beloti, M. M., 171
Rößler. S.
—; Sewing, A.; Stölzel, M.; Born, R.; Scharnweber, D.; Dard, M.; Worch, H.: Electrochemically assisted deposition of thin calcium phosphate coatings at near-physiological pH and temperature, 655
Rößler, S. See Schliephake, H., 225
Ruehlman, D. See Poshusta, A. K., 62
Runt, J. See Xu, R., 114

Saeki, S. See Mizuno, K., 177
Saito, Y. See Ishihara, M., 551
Sakai, H. See Tsuchida, E., 257

Sakaki, S. See Sawada, S., 411
Sakurai, T. See Mizuno, K., 177
Saloner, D. See Li, C., 197
Samouillan, V.
—; Dandurand, J.; Lacabanne, C.; Thoma, R. J.; Adams, A.; Moore, M.: Comparison of chemical treatments on the chain dynamics and thermal stability of bovine pericardium collagen, 330
San Román, J. See Abraham, G. A., 638
San Román, J. See de Queiroz, A. A. A., 147
Sánchez, F. See Coreño, J., 131
Sandler, S. See King, A., 533
Sato, M.
—; Asazuma, T.; Ishihara, M.; Kikuchi, T.; Masuoka, K.; Ichimura, S.; Kikuchi, M.; Kurita, A.; Fujikawa, K.: An atelocollagen honeycomb-shaped scaffold with a membrane seal (ACHMS-scaffold) for the culture of annulus fibrosus cells from an intervertebral disc, 249
Sato, M. See Ishihara, M., 551
Sawada, S.
—; Sakaki, S.; Iwasaki, Y.; Nakabayashi, N.; Ishihara, K.: Suppression of the inflammatory response from adherent cells on phospholipid polymers, 411
Scharnweber, D. See Rößler, S., 655
Scharnweber, D. See Schliephake, H., 225
Schliephake, H.
—; Scharnweber, D.; Dard, M.; Rößler, S.; Sewing, A.; Hüttmann, C.: Biological performance of biomimetic calcium phosphate coating of titanium implants in the dog mandible, 225
Scott, K. D. See Lu, H. H., 465
See, L. C. See Yang, J. M., 138
Sewing, A. See Rößler, S., 655
Sewing, A. See Schliephake, H., 225
Shang, Q. See Mao, J., 301
Shen, M. See Wagner, M. S., 1
Shibata, N.
—; Tomita, N.; Ikeuchi, K.: Numerical simulations on fatigue destruction of ultra-high molecular weight polyethylene using discrete element analyses, 570
Shih, C. H. See Yang, J. M., 138
Shimizu, Y. See Lee, Y. H., 88
Shoichet, M. S. See Karp, J. M., 388
Short, R. D. See Haddow, D. B., 80
Sieving, A.
—; Wu, B.; Mayton, L.; Nasser, S.; Wooley, P. H.: Morphological characteristics of total joint arthroplasty-derived ultra-high molecular weight polyethylene (UHMWPE) wear debris that provoke inflammation in a murine model of inflammation, 457
Sikavitsas, V. I. See van den Dolder, J., 235
Singla, A.
—; Lee, C. H.: Inhibition of CEM calcification by the sequential pretreatment with ethanol and EDTA, 706
Skjåk-Bræk, G. See King, A., 533
Skjåk-Bræk, G. See Strand, B. L., 540
Smith, R. L. See Arora, A., 693
Snyder, A. J. See Xu, R., 114
Sokolov, J. See Pernodet, N., 684
Soncini, M. See Zaffe, D., 365
Song, Y. See Arora, A., 693
Spangenberg, K. M. See Peretti, G. M., 517
Spauwen, P. H. M. See van den Dolder, J., 235
Spauwen, P. H. M. See Vehof, J. W. M., 417
Spector, M. See Lee, C. R., 560
Steele, D. A. See Haddow, D. B., 80
Stolz, D. B. See Ganta, S. R., 242
Stölzel, M. See Rößler, S., 655
Strand, B. See King, A., 533
Strand, B. L.
—; Mørch, Y. A.; Syvertsen, K. R.; Espevik, T.; Skjåk-Bræk, G.: Microcapsules made by enzymatically tailored alginate, 540
Su, W. Y. See Yang, J. M., 138
Suematsu, M. See Tsuchida, E., 257
Sun, J.-S.
—; Huang, Y.-C.; Lin, F.-H.; Chen, L.-T.: The effect of sintered dicalcium pyrophosphate on osteoclast metabolism: An ultrastructural study, 616
Sung, H.-W.
—; Chang, W.-H.; Ma, C.-Y.; Lee, M.-H.: Crosslinking of biological tissues using genipin and/or carbodiimide, 427
Sutherland, D. See Andersson, A.-S., 622
Swain, M. V. See Lucksanasombool, P., 93
Syvertsen, K. R. See Strand, B. L., 540

Takebe, J.
—; Champagne, C. M.; Offenbacher, S.; Ishibashi, K.; Cooper, L. F.: Titanium surface topography alters cell shape and modulates bone morphogenetic protein 2 expression in the J774A.1 macrophage cell line, 207
Takimoto, N. See Mizuno, K., 177
Takimoto, Y. See Lee, Y. H., 88
Tardieu, M. See Blanquaert, F., 525
Taylor, S. See Evans, M. D. M., 357
Teramachi, M. See Lee, Y. H., 88
Thoma, R. J. See Samouillan, V., 330
Tirelli, N. See Vernon, B., 447
Tomita, N. See Shibata, N., 570
Torricelli, P.
—; Fini, M.; Giavaresi, G.; Botter, R.; Beruto, D.; Giardino, R.: Biomimetic PMMA-based bone substitutes: A comparative *in vitro* evaluation of the effects of pulsed electromagnetic field exposure, 182
Trindade, M. See Arora, A., 693
Truskey, G. A. See Mathur, A. B., 155
Tsuchida, E.
—; Komatsu, T.; Matsukawa, Y.; Nakagawa, A.; Sakai, H.; Kobayashi, K.; Suematsu, M.: Human serum albumin incorporating synthetic heme: Red blood cell substitute without hypertension by nitric oxide scavenging, 257
Tsuchida, E. See Kobayashi, K., 48
Tsuchiya, T. See Nakaoka, R., 439
Tsuda, T. See Lee, Y. H., 88

Uchida, M.
—; Kim, H.-M.; Kokubo, T.; Fujibayashi, S.; Nakamura, T.: Structural dependence of apatite formation on titania gels in a simulated body fluid, 164
Ueda-Ishibashi, H. See Nakayama, Y., 52
Uo, M. See Yokoyama, A., 491
Urbanski, P. See Anand, V. P., 648

van Blitterswijk, C. A. See Barrère, F., 378
van den Dolder, J.
—; Bancroft, G. N.; Sikavitsas, V. I.; Spauwen, P. H. M.; Jansen, J. A.; Mikos, A. G.: Flow perfusion culture of marrow stromal osteoblasts in titanium fiber mesh, 235
van den Dolder, J. See Vehof, J. W. M., 417
van der Valk, C. M. See Barrère, F., 378
van Luyn, M. J. A. See Bonnema, H., 502
van Timmeren, M. M. See Bonnema, H., 502

van Wachem, P. B. See Bonnema, H., 502
Vaquero, J. See Abraham, G. A., 638
Vehof, J. W. M.
—; van den Dolder, J.; de Ruijter, J. E.; Spauwen, P. H. M.; Jansen, J. A.: Bone formation in CaP-coated and noncoated titanium fiber mesh, 417
Vernon, B.
—; Tirelli, N.; Bächi, T.; Haldimann, D.; Hubbell, J. A.: Water-borne, *in situ* crosslinked biomaterials from phase-segregated precursors, 447
Voskerician, G. See Brodbeck, W. G., 320

Wagner, M. S.
—; Shen, M.; Horbett, T. A.; Castner, D. G.: Quantitative analysis of binary adsorbed protein films by time of flight secondary ion mass spectrometry, 1
Wang, J.-H.
—; Wei, C.-W.; Liu, H.-C.; Young, T.-H.: Behavior of MG-63 cells on nylon/chitosan-blended membranes, 606
Wang, J.-W.
—; Hon, M.-H.: Sugar-mediated chitosan/poly(ethylene glycol)-β-dicalcium pyrophosphate composite: Mechanical and microstructural properties, 262
Wataha, J. C. See Lewis, J. B., 217
Watanabe, M. See Kobayashi, K., 48
Watari, F. See Yokoyama, A., 491
Watkins, S. C. See Ganta, S. R., 242
Wei, C.-W. See Wang, J.-H., 606
Wen, H. B.
—; Moradian-Oldak, J.: Modification of calcium–phosphate coatings on titanium by recombinant amelogenin, 483
Winn, S. R. See Hu, Y., 583
Wooley, P. H. See Sieving, A., 457
Worch, H. See Rößler, S., 655
Woss, C. J. See Anand, V. P., 648
Wu, B. See Sieving, A., 457

Xu, C. See Li, C., 197
Xu, D. See Pernodet, N., 684
Xu, R.
—; Manias, E.; Snyder, A. J.; Runt, J.: Low permeability biomedical polyurethane nanocomposites, 114

Yagi, K. See Higashiyama, S., 475
Yamamoto, S. See Yokoyama, A., 491
Yamamoto, Y. See Lee, Y. H., 88
Yamamura, K. See Mizuno, K., 177
Yang, G. See Mao, J., 301
Yang, J. M.
—; Shih, C. H.; Chang, C.-N.; Lin, F. H.; Jiang, J. M.; Hsu, Y. G.; Su, W. Y.; See, L. C.: Preparation of epoxy–SiO_2 hybrid sol–gel material for bone cement, 138
Yang, N.-L. See Pernodet, N., 684
Yang, Y.
—; Ong, J. L.: Bond strength, compositional, and structural properties of hydroxyapatite coating on Ti, ZrO_2-coated Ti, and TPS-coated Ti substrate, 509
Yano, K. See Mizuno, K., 177
Yaszemski, M. J. See Poshusta, A. K., 62
Yokoyama, A.
—; Matsuno, H.; Yamamoto, S.; Kawasaki, T.; Kohgo, T.; Uo, M.; Watari, F.; Nakasu, M.: Tissue response to a newly developed calcium phosphate cement containing succinic acid and carboxymethyl-chitin, 491
Young, T.-H. See Wang, J.-H., 606
Yura, H. See Ishihara, M., 551

Zaffe, D.
—; Rodriguez y Baena, R.; Rizzo, S.; Brusotti, C.; Soncini, M.; Pietrabissa, R.; Cavani, F.; Quaglini, V.: Behavior of the bone–titanium interface after push-in testing: A morphological study, 365
Zanardi, L. See Bosetti, M., 189
Zaporojan, V. See Peretti, G. M., 517
Zhao, L. See Mao, J., 301
Ziats, N. P. See Brodbeck, W. G., 320
Zreiqat, H.
—; Akin, F. A.; Howlett, C. R.; Markovic, B.; Haynes, D.; Lateef, S.; Hanley, L.: Differentiation of human bone-derived cells grown on GRGDSP-peptide bound titanium surfaces, 105
Zurita, M. See Abraham, G. A., 638

Journal of Biomedical Materials Research Part A
Subject Index—Volume 64A

Adhesion, 88
Adsorption, 684
Aggregation, 282
AIF-1 (allograft inflammatory factor-1), 12
Alginate, 533, 540
Alginate beads, 273
Amelogenin, 483
Amorphous calcium phosphate, 655
Anatase, 164
Animal model, 12
Annulus fibrosus, 249
Antitumoral drugs, 638
Apatite, 131, 164, 339, 483, 664
Apoptosis, 616
Arginine-glycine-aspartic acid (RGD), 583
Articular chondrocytes, 560
Artificial skin, 301
Atherosclerotic plaque, 197
Atomic force microscopy (AFM), 349
Auger electron spectroscopy, 600
Avidin–biotin, 155

β-DCP, 262
Basement membrane, 357
Bioactive glasses, 189, 465
Bioactivity, 164, 465
Bioartificial liver, 475
Biochemical characterization, 197
Biocompatibility, 62, 242, 309, 320, 411, 491, 533, 648, 698
Biodegradable, 465
Biodegradable polyurethane, 242
Biological interfacial material, 372
Biological tissue, 427
Biomaterial interface, 388
Biomaterials, 182, 273, 397
Biomechanics, 517
Biomimetic coating, 225, 378
Biopolymer, 282
Biostability, 309
Blend, 606
Blood, 397
Blood compatibility, 147
Blood plasma, 339
Bone, 93, 465
Bone attachment, 672
Bone formation, 225
Bone marrow, 417
Bone marrow cell culturing, 291
Bone morphogenetic proteins, 207
Bone remodeling, 105
Bone repair, 525
Bone substitutes, 182
Bone tissue engineering, 388
Bone/implant interface, 365
Bone-like carbonate apatite, 378
Bovine pericardium, 330

Calcification, 706
Calcite, 339
Calcium adsorption, 131
Calcium carbonate, 171
Calcium phosphate, 171, 225, 630
Calcium phosphate cement, 491, 664
Calcium phosphate coating, 417, 483
Calcium phosphate phases, 655
Carbodiimide, 427
Cardiac assist device, 114
Cartilage, 70, 517
Cartilage repair, 517
CD44, 502
Cell adhesion, 155, 225, 517
Cell attachment, 80, 583, 622
Cell culture, 20, 630
Cell culture techniques, 235
Cell differentiation, 439
Cell loading method, 417
Cell transfer, 80
Cement line matrix, 388
Cement-composite material, 93
Chitosan hydrogel, 551
Chitosan, 177, 262, 301, 606
Chitosan lactate, 147
Cholesterol conjugation, 282
Chondrocyte, 517
Chondrogenesis, 273
Cluster, 339
CM-chitin, 491
Coating, 600, 630
Collagen, 88, 439
Collagen denaturation, 330
Collagen implant, 502
Collagen-elastin matrix, 706
Composite, 262, 465
Compression, 560
Cover, 52
Crack propagation, 93
Critical stress intensity factor, 93
Crosslinking characteristics, 427
Culture method, 417
Cultured cell, 249
Cytokines, 320

Debris morphology, 457
Defect formation and propagation, 570
Degradable hydrogels, 70
Delamination, 570
Dendrimer, 475
Dental materials, 217
Dentin–enamel junction (DEJ), 372
Differential scanning calorimetry, 330
Diisocyanato-2-methylpentane, 242
Discrete element method, 570
Drug delivery, 52
Drug release, 638
Dynamic light scattering, 339

EDTA, 706
Elastin, 706
Elastomeric polymer, 52
Electrochemistry, 655
Electron microscopy, 357
Emission spectroscopy, 372
Emulsions, 447
Endosseous implant, 207
Endothelial cells, 397
Enthalpy, 120
Entropy, 120
Enzymatic degradation, 427
Epimerase, 533
Epithelium, 357
Ethylene oxide, 648
Extracellular matrix, 20

Fatigue, 570
Fibrillogenesis, 684
Fibroblast, 301, 591
Fibroblast growth factor, 177
Fibroblast growth factor-1, 551
Fibroblast growth factor-2, 551

Fibronectin, 20, 349, 684
Flow perfusion, 235
Flow preconditioning, 155
Fluorescence spectra, 372
Focal contacts, 155
Foreign-body reaction, 502
Fracture lines, 365
Fracture toughness, 93
Free energy, 120
Freeze-drying, 262, 291
FTIR-ATR, 197

Gas-plasma treatment, 291
Gelatin, 88, 301
Genetically diabetic mouse, 177
Genipin, 427
Graft copolymers, 638

Hard coatings, 591
Heavy metals, 217
Hemidesmosome, 357
Hemolysis, 648
Heparin, 551
Heparin-binding growth factors, 525
Hepatocytes, 475
Human osteoblast-like cells, 189
Human serum albumin, 48, 257
Hydrogel, 147, 309
Hydroxyapatite, 509, 600, 655
Hypertension, 257
Hypoxia, 48

Immune response, 693
In situ crosslinking, 447
In vitro, 273, 378
In vitro model, 525
In vivo, 378
In vivo experiments, 638
In vivo spectroscopy, 197
Inflammation, 12, 217, 320, 457
Injectable biomaterials, 447
Interfaces, 600
Interleukin-1β (IL-1β), 411
Interpenetrating polymer network, 38
Intervertebral disc, 249, 447

Juniper wood, 672

Keratinocyte, 80, 301

Laser, 630
Laser cladding, 630
Leukocytes, 320
Lymphocytes, 693

Macrophage fusion, 502
Macrophage phenotype, 207
Mannuronan epimerase, 540
Matrix bonding, 517
Matrix synthesis, 560
Mechanical properties, 427
Mechanical testing, 672
Medical devices, 648
Membrane, 114
Mesenchymal stem cells (MSCs), 273
Messenger RNA (mRNA) expression, 411
MG-63 cells, 606
Michael-type reaction, 447
Microcapsules, 540
Microdiffraction, 664
Microencapsulation, 533
Micromass culture system, 439
Microparticles, 397
Micropore, 52
Microradiography, 365
Midbrain cells, 439
MMP-2, 698
Model breast implants, 12
Molecular modeling, 120
Mononuclear cells, 397
Mucosal irritation, 648
Multinucleated giant cell, 502

Nanocomposite, 114
NFκB, 217
Nitric oxide, 257
Nylon, 606

Octacalcium phosphate, 378, 483
Orthopaedic biomaterial, 62
Orthopaedic wear debris, 457
Osseointegration, 225
Osseous wound healing, 207
Osteoblast-like cells, 698
Osteoblasts, 105, 182
Osteoclasts, 105, 616
Osteoconductivity, 491
Osteogenesis, 417
Osteogenic cells, 235
Osteoinduction, 207
Osteointegration, 465, 698
Osteolysis, 693
Oxidation, 698
Oxygen-carrying medicine, 48

Partial least squares regression, 1
Partially biodegradable matrices, 638
PEG, 38
Peptide residues, 120
Peptides, 105
Periprosthetic tissue, 457
Permeability, 114
PGA, 88
Phenotype, 249
Phosphate adsorption, 131
Phosphatidylcholine, 622
Phospholipid polymer, 411
Photopolymerization, 62, 70
Plasma polymer, 80
Plasma polymerization, 80
Plasma spraying, 509
Platelets, 397
Poly (ether ester) segmented block copolymer, 291
Poly(dimethyl siloxane), 309
Poly(ethylene glycol), 70
Poly(ethylene oxide), 309
Poly(L-lysine), 583
Poly(tetramethylene oxide), 309
Poly(vinyl alcohol), 147
Polyanhydrides, 62
Polycarbonate, 357
Polymer, 20, 465
Polymer blend, 171
Polymeric micelles, 282
Polyurethane, 114
Porosity, 672
Porous matrix, 583
Porous titanium, 417
Protein adsorption, 1, 20, 120, 349, 622
Proteinoids, 282
Pulsed electromagnetic field, 182
Push-in test, 365

R-curve, 93
Rat bone marrow cell, 171
Red blood cell substitute, 257
Reverse transcription polymerase chain reaction (RT-PCR), 411
RGD, 38
RGTA, 525
Ricinus communis polyurethane, 171
Rutile, 164

Salt leaching, 291
Scaffold, 249, 388, 475
Scanning electron microscope, 365
Selected-area diffraction, 664
Self-assembled monolayers, 120
Self-organization, 684
SEM, 447
Shear stress, 155
Simulated body fluid (SBF), 339
Sintered dicalcium pyrophophate, 616
Sol-gel titania, 131
Solid tumor, 48
Spheroids, 475
Stent, 52
Sterilization, 672
Stress fibers, 155
Structural changes, 349
Subcutaneous implantation, 378
Succinic acid, 491
Sucrose, 242
Sugar, 262
Supported lipid bilayers, 622
Surface charge density, 684
Surface eroding, 62
Surface modification, 38, 439, 509, 583
Surface treatment, 630
Surgery, 88

Synergism, 706
Synthetic heme, 48, 257

Thermal oxidation, 591
Thermally stimulated currents, 330
Tissue engineering, 70, 189, 235, 242, 249, 417, 465, 517
Titania, 164
Titanium, 38, 105, 483, 509, 655
Titanium fiber mesh, 235
Titanium implants, 591
ToF-SIMS, 1
Total hip replacement, 693
Toxicity, 672
Trabecular bone, 388
Transmission electron microscopy, 600
Transplantation, 533
Type I collagen, 189
Type II collagen, 560

UHMWPE, 457, 698
Ultra-high molecular weight polyethylene, 570
Ultrastructure, 616
Vascular endothelial cells, 20
Vascularization, 551

Wettability, 591
Whisker, 664
Width estimate, 372
Work of fracture, 93
Wound defects, 12
Wound healing, 80, 147, 177, 320

ζ potential, 131
Zirconium oxide, 509